


INFORMATIONAL STATIONARY e-KIOSKS



e-INFO kiosk: design I1

Dimensions		ID documents OCR reader:	yes
width x depth x height:	500 x 500 x 1 700 mm	ID documents full scan reader:	no
Maximum weight:	85 kg	Thermoprinter format	2"; 3"
Construction:	steel, coated in RAL	Ticket printer:	no
Integrated keyboard:	touch	Thermotransfer printer:	yes
Mechanic keyboard:	yes	RFID card dispenser:	no
Screen:	19" portrait oriented	Coin acceptor without change:	no
Control PC	yes	Coin acceptor with change:	no
Data communication:	LAN	Banknotes validator without change:	no
RFID dual scanner:	125kHz/13,56 MHz	Banknotes validator with change:	no
Motor card reader:	yes	Micropayments up to 20 euros:	VISA; MC/EC
QR and BAR code reader:	yes	Bank Card payment:	yes
Biometric reader	no	Club card payment:	yes
Signing tablet:	yes		



e-INFO kiosk: design I2

Dimensions		ID documents OCR reader:	yes
width x depth x height:	500 x 500 x 1 400 mm	ID documents full scan reader:	no
Maximum weight:	60 kg	Thermoprinter format	2"; 3"
Construction:	steel, coated in RAL	Ticket printer:	no
Integrated keyboard:	touch	Thermotransfer printer:	no
Mechanic keyboard:	no	RFID card dispenser:	no
Screen:	19" landscape oriented	Coin acceptor without change:	no
Control PC	yes	Coin acceptor with change:	no
Data communication:	LAN	Banknotes validator without change:	no
RFID dual scanner:	125kHz/13,56 MHz	Banknotes validator with change:	no
Motor card reader:	no	Micropayments up to 20 euros:	VISA; MC/EC
QR and BAR code reader:	yes	Bank Card payment:	yes
Biometric reader:	no	Club card payment:	yes
Signing tablet:	no		



e-INFO kiosk: design I3

Dimensions		ID documents OCR reader:	yes
width x depth x height:	500 x 500 x 1 700 mm	ID documents full scan reader:	yes
Maximum weight:	100 kg	Thermoprinter format	2", 3"
Construction:	steel, coated in RAL	Ticket printer:	yes
Integrated keyboard:	touch	Thermotransfer printer:	yes
Mechanic keyboard:	yes	RFID card dispenser:	yes
Screen:	19" portrait oriented	Coin acceptor without change:	no
Control PC	yes	Coin acceptor with change:	no
Data communication:	LAN	Banknotes validator without change:	no
RFID dual scanner:	125kHz/13,56 MHz	Banknotes validator with change:	no
Motor card reader:	yes	Micropayments up to 20 euros:	VISA; MC/EC
QR and BAR code reader:	yes	Bank Card payment:	no
Biometric reader	yes	Club card payment:	no
Signing tablet:	yes		



e-INFO kiosk: design I4

Dimensions		ID documents OCR reader:	yes
width x depth x height:	500 x 500 x 1 700 mm	ID documents full scan reader:	yes
Maximum weight:	100 kg	Thermoprinter format	2", 3"
Construction:	steel, coated in RAL	Ticket printer:	yes
Integrated keyboard:	touch	Thermotransfer printer:	yes
Mechanic keyboard:	yes	RFID card dispenser:	yes
Screen:	19" portrait oriented	Coin acceptor without change:	no
Control PC	yes	Coin acceptor with change:	no
Data communication:	LAN	Banknotes validator without change:	no
RFID dual scanner:	125kHz/13,56 MHz	Banknotes validator with change:	no
Motor card reader:	yes	Micropayments up to 20 euros:	VISA; MC/EC
QR and BAR code reader:	yes	Bank Card payment:	no
Biometric reader:	yes	Club card payment:	no
Signing tablet:	yes		

INFORMATIONAL WALL e-KIOSKS



e-INFO kiosk: design IW1

Dimensions		ID documents OCR reader:	yes
width x depth x height:	460 x 200 x 950 mm	ID documents full scan reader:	no
Maximum weight:	50 kg	Thermoprinter format	2", 3"
Construction:	steel, coated in RAL	Ticket printer:	no
Integrated keyboard:	touch	Thermotransfer printer:	yes
Mechanic keyboard:	yes	RFID card dispenser:	no
Screen:	19" portrait oriented	Coin acceptor without change:	yes
Control PC	yes	Coin acceptor with change:	yes
Data communication:	LAN	Banknotes validator without	
RFID dual scanner:	125kHz/13,56 MHz	change:	no
Motor card reader:	yes	Banknotes validator with change:	no
QR and BAR code reader:	yes	Micropayments up to 20 euros:	VISA; MC/EC
Biometric reader	no	Bank Card payment:	yes
Signing tablet:	yes	Club card payment:	yes



e-INFO kiosk: design IW2

Dimensions		ID documents OCR reader:	yes
width x depth x height:	370 x 200 x 600 mm	ID documents full scan reader:	no
Maximum weight:	30 kg	Thermoprinter format	2", 3"
Construction:	steel, coated in RAL	Ticket printer:	no
Integrated keyboard:	touch	Thermotransfer printer:	no
Mechanic keyboard:	no	RFID card dispenser:	no
Screen:	10" portrait oriented	Coin acceptor without change:	yes
Control PC	yes	Coin acceptor with change:	yes
Data communication:	LAN	Banknotes validator without	
RFID dual scanner:	125kHz/13,56 MHz	change:	no
Motor card reader:	no	Banknotes validator with change:	no
QR and BAR code reader:	yes	Micropayments up to 20 euros:	VISA; MC/EC
Biometric reader:	no	Bank Card payment:	no
Signing tablet:	no	Club card payment:	yes

Informational and payment e-kiosks for wheelchair users

e-Payment kiosk: design IPVS1

Dimensions

width x depth x height: 700 x 400 x 2 080 ± 400 mm

Maximum weight: 120 kg

Construction: steel, coated in RAL

Integrated keyboard: yes, electromechanical drive 400 mm

Mechanic keyboard: touch

Screen: no

Control PC 19" portrait oriented

Data communication: yes

RFID dual scanner: LAN

Motor card reader: 125kHz/13,56 MHz

QR and BAR code reader: no

Biometric reader: yes

Signing tablet: no

ID documents OCR reader: yes

ID documents full scan reader: yes

Thermoprinter format: no

Ticket printer: 2", 3"

Thermotransfer printer: no

RFID card dispenser: no

Coin acceptor without change: no

Coin acceptor with change: yes

Banknotes validator without

change: no

Banknotes validator with change: no

Micropayments up to 20 euros: VISA; MC/EC

Bank Card payment: yes

Club card payment: yes




Informational and payment e-kiosks



e-Payment kiosk: design PW1

Dimensions		ID documents OCR reader:	yes
width x depth x height:	460 x 200 x 950 mm	ID documents full scan reader:	no
Maximum weight:	50 kg	Thermoprinter format	2", 3"
Construction:	steel, coated in RAL	Ticket printer:	no
Integrated keyboard:	touch	Thermotransfer printer:	no
Mechanic keyboard:	yes	RFID card dispenser:	no
Screen:	19" portrait oriented	Coin acceptor without change:	yes
Control PC	yes	Coin acceptor with change:	yes
Data communication:	LAN	Banknotes validator without	
RFID dual scanner:	125kHz/13,56 MHz	change:	no
Motor card reader:	yes	Banknotes validator with change:	no
QR and BAR code reader:	yes	Micropayments up to 20 euros:	VISA; MC/EC
Biometric reader	no	Bank Card payment:	yes
Signing tablet:	yes	Club card payment:	yes



e-Payment kiosk: design P2

Dimensions		ID documents OCR reader:	yes
width x depth x height:	370 x 200 x 1 700 mm	ID documents full scan reader:	no
Maximum weight:	45 kg	Thermoprinter format	2", 3"
Construction:	steel, coated in RAL	Ticket printer:	no
Integrated keyboard:	touch	Thermotransfer printer:	no
Mechanic keyboard:	no	RFID card dispenser:	no
Screen:	10" portrait oriented	Coin acceptor without change:	yes
Control PC	yes	Coin acceptor with change:	yes
Data communication:	LAN	Banknotes validator without	
RFID dual scanner:	125kHz/13,56 MHz	change:	no
Motor card reader:	no	Banknotes validator with change:	no
QR and BAR code reader:	yes	Micropayments up to 20 euros:	VISA; MC/EC
Biometric reader:	no	Bank Card payment:	no
Signing tablet:	no	Club card payment:	yes



e-Payment kiosk: design P3

Dimensions		ID documents OCR reader:	yes
width x depth x height:	500 x 500 x 1700 mm	ID documents full scan reader:	no
Maximum weight:	60 kg	Thermoprinter format	2", 3"
Construction:	steel, coated in RAL	Ticket printer:	no
Integrated keyboard:	touch	Thermotransfer printer:	no
Mechanic keyboard:	no	RFID card dispenser:	no
Screen:	10" portrait oriented	Coin acceptor without change:	no
Control PC	yes	Coin acceptor with change:	no
Data communication:	LAN	Banknotes validator without change:	no
RFID dual scanner:	125kHz/13,56 MHz	Banknotes validator with change:	no
Motor card reader:	no	Micropayments up to 20 euros:	VISA; MC/EC
QR and BAR code reader:	yes	Bank Card payment:	yes
Biometric reader	no	Club card payment:	yes
Signing tablet:	no		



e-Payment kiosk: design P4

Dimensions		ID documents OCR reader:	yes
width x depth x height:	600 x 400 x 1 700 mm	ID documents full scan reader:	no
Maximum weight:	120 kg	Thermoprinter format	2", 3"
Construction:	steel, coated in RAL	Ticket printer:	yes
Integrated keyboard:	touch	Thermotransfer printer:	yes
Mechanic keyboard:	yes	RFID card dispenser:	yes
Screen:	19" portrait oriented	Coin acceptor without change:	yes
Control PC	yes	Coin acceptor with change:	yes
Data communication:	LAN	Banknotes validator without change:	yes
RFID dual scanner:	125kHz/13,56 MHz	Banknotes validator with change:	yes
Motor card reader:	yes	Micropayments up to 20 euros:	VISA; MC/EC
QR and BAR code reader:	yes	Bank Card payment:	yes
Biometric reader:	yes	Club card payment:	yes
Signing tablet:	yes		

Configuration of coin acceptors

EUR

TYPE	VALUE	VALUE	VALUE	VALUE	VALUE	VALUE
EUR1	2,00 €	0,05 €	1,00 €	0,10 €	0,20 €	0,50 €
EUR2	0,50 €	0,05 €	0,20 €	0,10 €	0,05 €	1,00 €
EUR3	0,50 €	0,10 €	0,05 €	0,10 €	0,05 €	0,20 €
EUR5	2,00 €	1,00 €	0,50 €	1,00 €	0,50 €	2,00 €
EUR6	2,00 €	1,00 €	1,00 €	1,00 €	1,00 €	2,00 €
EUR9	0,50 €	0,20 €	0,05 €	0,10 €	0,20 €	1,00 €
EUR10	1,00 €	0,05 €	1,00 €	0,10 €	0,20 €	0,50 €
EUR13	2,00 €	0,20 €	1,00 €	0,10 €	1,00 €	0,50 €
EUR18	2,00 €	0,20 €	0,50 €	0,10 €	1,00 €	2,00 €
EUR22	0,50 €	0,20 €	0,05 €	0,10 €	0,10 €	0,20 €
EUR24	2,00 €	0,20 €	0,50 €	0,10 €	1,00 €	0,50 €
EUR27	2,00 €	0,10 €	1,00 €	0,10 €	0,20 €	0,50 €
EUR31	2,00 €	0,10 €	1,00 €	0,10 €	0,05 €	0,50 €
EUR36	0,50 €	0,05 €	1,00 €	0,10 €	0,20 €	0,50 €
EUR43	2,00 €	1,00 €	1,00 €	0,10 €	1,00 €	2,00 €
EUR75	2,00 €	1,00 €	0,50 €	0,10 €	1,00 €	2,00 €

CZK

CZK1	50,00 CZK	2,00 CZK	10,00 CZK	1,00 CZK	5,00 CZK	20,00 CZK
CZK10	50,00 CZK	10,00 CZK	20,00 CZK	5,00 CZK	20,00 CZK	50,00 CZK

Informative hopper capacity for different types of coins

EURO	Capacity	CZK	Capacity
1 cent	97 pcs	5,00 CZK	75 pcs
2 cents	97 pcs	10,00 CZK	60 pcs
5 cents	95 pcs	20,00 CZK	60 pcs
10 cents	83 pcs	50,00 CZK	60 pcs
20 cents	75 pcs		
50 cents	67 pcs		
1,00 €	69 pcs		
2,00 €	72 pcs		